

## **CHAPTER 25**

### **FREEWAY FACILITIES: SUPPLEMENTAL**

#### **CONTENTS**

|  |              |
|--|--------------|
| <b>1. INTRODUCTION .....</b>                                       | <b>25-1</b>  |
| Chapter Scope .....  | 25-1         |
| Chapter Organization.....  | 25-1         |
| Limitations of the Methodologies.....                              | 25-1         |
| <b>2. GLOSSARY OF VARIABLE DEFINITIONS .....</b>                   | <b>25-3</b>  |
| Overview .....   | 25-3         |
| Global Variables .....   | 25-3         |
| Segment Variables.....   | 25-4         |
| Node Variables .....   | 25-5         |
| On-Ramp Variables.....   | 25-6         |
| Off-Ramp Variables .....   | 25-6         |
| Facilitywide Variables .....                                       | 25-6         |
| Travel Time Reliability Variables .....                            | 25-7         |
| <b>3. UNDERSATURATED SEGMENT EVALUATION .....</b>                  | <b>25-9</b>  |
| Facility Speed Constraint .....                                    | 25-9         |
| Directional Facility Module .....                                  | 25-10        |
| <b>4. OVERSATURATED SEGMENT EVALUATION .....</b>                   | <b>25-11</b> |
| Procedure Parameters .....   | 25-11        |
| Flow Estimation.....   | 25-13        |
| Segment and Ramp Performance Measures .....                        | 25-25        |
| Oversaturation Analysis within Managed Lanes.....                  | 25-26        |
| <b>5. WORK ZONE ANALYSIS DETAILS .....</b>                         | <b>25-28</b> |
| Special Work Zone Configurations .....                             | 25-28        |
| <b>6. PLANNING-LEVEL METHODOLOGY FOR FREEWAY FACILITIES....</b>    | <b>25-34</b> |
| Input Requirements .....   | 25-34        |
| Step 1: Demand-Level Calculations .....                            | 25-36        |
| Step 2: Section Capacity Calculations and Adjustments.....         | 25-37        |
| Step 3: Delay Rate Estimation .....                                | 25-38        |
| Step 4: Average Travel Time, Speed, and Density Calculations ..... | 25-39        |
| Step 5: Level of Service .....                                     | 25-40        |

|   |               |
|---|---------------|
| <b>7. MIXED-FLOW MODEL FOR COMPOSITE GRADES .....</b>   | <b>25-41</b>  |
| Overview of the Methodology .....   | 25-41         |
| Step 1: Input Data .....  | 25-41         |
| Step 2: Capacity Assessment .....   | 25-41         |
| Step 3: Specify Initial Conditions.....   | 25-44         |
| Step 4: Compute Truck Spot and Space-based Travel Time Rates .....                                  | 25-44         |
| Step 5: Compute Automobile Spot and Space-Based Travel Time Rates ..                                | 25-50         |
| Step 6: Compute Mixed-Flow Space-Based Travel Time Rate and<br>Speed .....                          | 25-51         |
| Step 7: Overall Results.....  | 25-52         |
| <b>8. FREEWAY CALIBRATION METHODOLOGY .....</b>   | <b>25-53</b>  |
| Calibration at the Core Freeway Facility Level .....  | 25-53         |
| Calibration at the Travel Time Reliability Level .....  | 25-60         |
| Calibration at the Reliability Strategy Assessment Level .....                                      | 25-65         |
| <b>9. FREEWAY SCENARIO GENERATION.....</b>  | <b>25-68</b>  |
| Introduction .....  | 25-68         |
| Methodology .....   | 25-71         |
| <b>10. COMPUTATIONAL ENGINE OVERVIEW .....</b>  | <b>25-84</b>  |
| <b>11. EXAMPLE PROBLEMS .....</b>   | <b>25-85</b>  |
| Example Problem 1: Evaluation of an Undersaturated Facility.....                                    | 25-85         |
| Example Problem 2: Evaluation of an Oversaturated Facility .....                                    | 25-92         |
| Example Problem 3: Capacity Improvements to an Oversaturated<br>Facility .....                      | 25-97         |
| Example Problem 4: Evaluation of an Undersaturated Facility with a<br>Work zone .....               | 25-102        |
| Example Problem 5: Evaluation of an Oversaturated Facility with a<br>Managed Lane .....             | 25-108        |
| Example Problem 6: Planning-Level Analysis of a Freeway Facility.....                               | 25-113        |
| Example Problem 7: Reliability Evaluation of an Existing Freeway<br>Facility .....                  | 25-118        |
| Example Problem 8: Reliability Analysis with Geometric<br>Improvements .....                        | 25-122        |
| Example Problem 9: Evaluation of Incident Management .....  | 25-123        |
| Example Problem 10: Planning-Level Reliability Analysis .....                                       | 25-124        |
| Example Problem 11: Estimating Freeway Composite Grade<br>Operations with the Mixed-Flow Model..... | 25-125        |
| <b>12. REFERENCES .....</b>   | <b>25-135</b> |
| <b>APPENDIX A: TRUCK PERFORMANCE CURVES.....</b>  | <b>25-137</b> |

## LIST OF EXHIBITS

|   |       |
|---|-------|
| Exhibit 25-1 Node-Segment Representation of a Directional Freeway Facility.....   | 25-11 |
| Exhibit 25-2 Segment Flow-Density Function .....  | 25-13 |
| Exhibit 25-3 Oversaturated Analysis Procedure.....  | 25-14 |
| Exhibit 25-4 Definitions of Mainline and Segment Flows .....  | 25-19 |
| Exhibit 25-5 Flow-Density Function with a Shock Wave .....  | 25-21 |
| Exhibit 25-6 Vertical Queuing from a Managed Lane Due to Queue Presence on the General Purpose Lanes .....  | 25-27 |
| Exhibit 25-7 On-Ramp Merge Diagram for 2-to-1 Freeway Work Zone Configuration.....  | 25-28 |
| Exhibit 25-8 Proportion of Work Zone Queue Discharge Rate (Relative to the Basic Work Zone Capacity) Available for Mainline Flow Upstream of Merge Area ..... | 25-29 |
| Exhibit 25-9 Off-Ramp Diverge Diagram for a 2-to-1 Freeway Work Zone Configuration.....   | 25-30 |
| Exhibit 25-10 Proportion of Work Zone Capacity Available for Mainline Flow Downstream of Diverge Area .....   | 25-31 |
| Exhibit 25-11 Proportion of Off-Ramp Demand Served in Work Zone .....   | 25-31 |
| Exhibit 25-12 Proportion of Available Work Zone Capacity for a Directional Crossover in the Work Zone .....   | 25-31 |
| Exhibit 25-13 Model Coefficients for Estimating the Proportion of Work Zone Capacity in a Weaving Segment .....   | 25-33 |
| Exhibit 25-14 Model Coefficients for Estimating the Proportion of Off-Ramp Volume Served in the Weaving Area .....  | 25-33 |
| Exhibit 25-15 Schematics of Freeway Sections .....  | 25-34 |
| Exhibit 25-16 Parameter Values for Undersaturated Model.....  | 25-39 |
| Exhibit 25-17 LOS Criteria for Urban and Rural Freeway Facilities.....  | 25-40 |
| Exhibit 25-18 Schematic of a Composite Grade .....  | 25-41 |
| Exhibit 25-19 Mixed-Flow Methodology Overview .....   | 25-42 |
| Exhibit 25-20 SUT Spot Rates Versus Distance with Initial Speeds of 75 and 30 mi/h .....  | 25-45 |
| Exhibit 25-21 TT Spot Rates Versus Distance with Initial Speeds of 75 and 20 mi/h .....   | 25-45 |
| Exhibit 25-22 SUT Travel Time Versus Distance Curves for 70-mi/h Initial Speed.....   | 25-47 |
| Exhibit 25-23 SUT Travel Time Versus Distance Curves for 30-mi/h Initial Speed.....   | 25-47 |
| Exhibit 25-24 $\delta$ Values for SUTs .....  | 25-48 |

|   |       |
|---|-------|
| Exhibit 25-25 $\delta$ Values for TTs.....  | 25-48 |
| Exhibit 25-26 Calibration Steps for the Core Freeway Facility Level .....             | 25-54 |
| Exhibit 25-27 Effect of Calibrating Free-Flow Speed on Capacity .....                 | 25-55 |
| Exhibit 25-28 Effects of Segment Capacity .....                                       | 25-56 |
| Exhibit 25-29 Effects of Queue Discharge Rate Drop .....                              | 25-56 |
| Exhibit 25-30 Effects of Jam Density.....   | 25-57 |
| Exhibit 25-31 Effect of Demand Level.....   | 25-58 |
| Exhibit 25-32 Comprehensive Reliability Calibration Steps.....                        | 25-60 |
| Exhibit 25-33 High Demand Level on the Seed Day.....                                  | 25-62 |
| Exhibit 25-34 Low Demand Level on the Seed Day .....                                  | 25-62 |
| Exhibit 25-35 Overestimating the Impacts of Nonrecurring Sources of Congestion .....  | 25-63 |
| Exhibit 25-36 Underestimating the Impacts of Nonrecurring Sources of Congestion ..... | 25-64 |
| Exhibit 25-37 Process Flow Overview for Freeway Scenario Generation.....              | 25-69 |
| Exhibit 25-38 Distribution of Number of Incidents in the Scenarios .....              | 25-70 |
| Exhibit 25-39 Detailed Freeway Scenario Generation Flowchart.....                     | 25-72 |
| Exhibit 25-40 Listing of Weather Stations with Available Weather Data .....           | 25-76 |
| Exhibit 25-41 Incident Duration Distribution Parameters in Minutes .....              | 25-81 |
| Exhibit 25-42 List of Example Problems .....  | 25-85 |
| Exhibit 25-43 Example Problem 1: Freeway Facility .....                               | 25-85 |
| Exhibit 25-44 Example Problem 1: Geometry of Directional Freeway Facility .....       | 25-85 |
| Exhibit 25-45 Example Problem 1: Demand Inputs .....                                  | 25-87 |
| Exhibit 25-46 Example Problem 1: Segment Capacities .....                             | 25-88 |
| Exhibit 25-47 Example Problem 1: Segment Demand-to-Capacity Ratios .....              | 25-89 |
| Exhibit 25-48 Example Problem 1: Volume-Served Matrix .....                           | 25-89 |
| Exhibit 25-49 Example Problem 1: Speed Matrix .....                                   | 25-90 |
| Exhibit 25-50 Example Problem 1: Density Matrix .....                                 | 25-90 |
| Exhibit 25-51 Example Problem 1: LOS Matrix .....                                     | 25-90 |
| Exhibit 25-52 Example Problem 1: Facility Performance Measure Summary .....           | 25-92 |
| Exhibit 25-53 Example Problem 2: Demand Inputs .....                                  | 25-93 |
| Exhibit 25-54 Example Problem 2: Segment Capacities .....                             | 25-94 |
| Exhibit 25-55 Example Problem 2: Segment Demand-to-Capacity Ratios .....              | 25-95 |
| Exhibit 25-56 Example Problem 2: Volume-Served Matrix .....                           | 25-96 |
| Exhibit 25-57 Example Problem 2: Speed Matrix .....                                   | 25-96 |
| Exhibit 25-58 Example Problem 2: Density Matrix .....                                 | 25-96 |

|  |        |
|--|--------|
| Exhibit 25-59 Example Problem 2: Expanded LOS Matrix.....                                      | 25-96  |
| Exhibit 25-60 Example Problem 2: Facility Performance Measure<br>Summary .....                 | 25-97  |
| Exhibit 25-61 Example Problem 3: Freeway Facility .....  | 25-98  |
| Exhibit 25-62 Example Problem 3: Geometry of Directional Freeway<br>Facility.....              | 25-98  |
| Exhibit 25-63 Example Problem 3: Segment Capacities.....                                       | 25-100 |
| Exhibit 25-64 Example Problem 3: Segment Demand-to-Capacity Ratios.....                        | 25-100 |
| Exhibit 25-65 Example Problem 3: Speed Matrix.....   | 25-101 |
| Exhibit 25-66 Example Problem 3: Density Matrix.....   | 25-101 |
| Exhibit 25-67 Example Problem 3: LOS Matrix.....   | 25-101 |
| Exhibit 25-68 Example Problem 3: Facility Performance Measure<br>Summary .....                 | 25-102 |
| Exhibit 25-69 Example Problem 4: Freeway Facility .....  | 25-102 |
| Exhibit 25-70 Example Problem 4: Geometry of Directional Freeway<br>Facility.....              | 25-102 |
| Exhibit 25-71 Example Problem 4: Segment Capacities.....                                       | 25-104 |
| Exhibit 25-72 Example Problem 4: Segment Demand-to-Capacity Ratios.....                        | 25-105 |
| Exhibit 25-73 Example Problem 4: Volume-Served Matrix.....                                     | 25-106 |
| Exhibit 25-74 Example Problem 4: Speed Matrix.....   | 25-106 |
| Exhibit 25-75 Example Problem 4: Density Matrix.....   | 25-107 |
| Exhibit 25-76 Example Problem 4: LOS Matrix.....   | 25-107 |
| Exhibit 25-77 Example Problem 4: Facility Performance Measure<br>Summary .....                 | 25-107 |
| Exhibit 25-78 Example Problem 5: Freeway Facility .....  | 25-108 |
| Exhibit 25-79 Example Problem 5: Geometry of Directional Freeway<br>Facility.....              | 25-108 |
| Exhibit 25-80 Example Problem 5: Demand Inputs on the Mainline.....                            | 25-109 |
| Exhibit 25-81 Example Problem 5: Segment Capacities.....                                       | 25-110 |
| Exhibit 25-82 Example Problem 5: Segment Demand-to-Capacity Ratios.....                        | 25-110 |
| Exhibit 25-83 Example Problem 5: Speed Matrix.....   | 25-111 |
| Exhibit 25-84 Example Problem 5: Density Matrix.....   | 25-111 |
| Exhibit 25-85 Example Problem 5: LOS Matrix.....   | 25-111 |
| Exhibit 25-86 Example Problem 5: Facility Performance Measure<br>Summary for Lane Groups ..... | 25-112 |
| Exhibit 25-87 Example Problem 5: Facility Performance Measure<br>Summary .....                 | 25-112 |
| Exhibit 25-88 Example Problem 6: AADT Values for the Facility.....                             | 25-113 |
| Exhibit 25-89 Example Problem 6: Section Definition for the Facility .....                     | 25-114 |

|  |        |
|--|--------|
| Exhibit 25-90 Example Problem 6: Demand Flow Rates (pc/h) on the Subject Facility.....                     | 25-114 |
| Exhibit 25-91 Example Problem 6: Demand-to-Capacity Ratios by Section and Analysis Period .....            | 25-115 |
| Exhibit 25-92 Example Problem 6: Delay Rates by Section and Analysis Period.....                           | 25-116 |
| Exhibit 25-93 Example Problem 6: Travel Rates by Section and Analysis Period.....                          | 25-117 |
| Exhibit 25-94 Example Problem 6: Average Travel Times by Section and Analysis Period .....                 | 25-117 |
| Exhibit 25-95 Example Problem 6: Density by Section and Analysis Period.....                               | 25-117 |
| Exhibit 25-96 Example Problem 6: Facility Performance Summary .....  | 25-117 |
| Exhibit 25-97 Example Problem 7: Freeway Facility.....   | 25-118 |
| Exhibit 25-98 Example Problem 7: Geometry of Directional Freeway Facility .....                            | 25-118 |
| Exhibit 25-99 Example Problem 7: Demand Flow Rates (veh/h) by Analysis Period in the Base Data Set .....   | 25-119 |
| Exhibit 25-100 Example Problem 7: Demand Ratios Relative to AADT .....                                     | 25-120 |
| Exhibit 25-101 Example Problem 7: Weather Event Probabilities by Season .....                              | 25-120 |
| Exhibit 25-102 Example Problem 7: CAF, SAF, and Event Duration Values Associated with Weather Events.....  | 25-120 |
| Exhibit 25-103 Example Problem 7: Incident Frequencies by Month.....                                       | 25-121 |
| Exhibit 25-104 Example Problem 7: Summary Reliability Performance Measure Results .....                    | 25-121 |
| Exhibit 25-105 Example Problem 7: VMT-Weighted TTI Probability and Cumulative Distribution Functions ..... | 25-122 |
| Exhibit 25-106 Example Problem 8: Freeway Facility.....  | 25-122 |
| Exhibit 25-107 Example Problem 8: Summary Reliability Performance Measure Results .....                    | 25-123 |
| Exhibit 25-108 Example Problem 9: Summary Reliability Performance Measure Results .....                    | 25-124 |
| Exhibit 25-109 Example Problem 11: Spot Speeds of All Segments.....  | 25-134 |
| Exhibit 25-110 Example Problem 11: Space Mean Speeds of All Segments ...                                   | 25-134 |
| Exhibit 25-111 Example Problem 11: Overall Space Mean Speeds of All Segments .....                         | 25-134 |
| Exhibit 25-A1 SUT Travel Time Versus Distance Curves for 35-mi/h Initial Speed .....                       | 25-137 |
| Exhibit 25-A2 SUT Travel Time Versus Distance Curves for 40-mi/h Initial Speed .....                       | 25-137 |

|   |        |
|---|--------|
| Exhibit 25-A3 SUT Travel Time Versus Distance Curves for 45-mi/h<br>Initial Speed ..... | 25-138 |
| Exhibit 25-A4 SUT Travel Time Versus Distance Curves for 50-mi/h<br>Initial Speed ..... | 25-138 |
| Exhibit 25-A5 SUT Travel Time Versus Distance Curves for 55-mi/h<br>Initial Speed ..... | 25-139 |
| Exhibit 25-A6 SUT Travel Time Versus Distance Curves for 60-mi/h<br>Initial Speed ..... | 25-139 |
| Exhibit 25-A7 SUT Travel Time Versus Distance Curves for 65-mi/h<br>Initial Speed ..... | 25-140 |
| Exhibit 25-A8 SUT Travel Time Versus Distance Curves for 75-mi/h<br>Initial Speed ..... | 25-140 |
| Exhibit 25-A9 TT Travel Time Versus Distance Curves for 20-mi/h Initial<br>Speed.....   | 25-141 |
| Exhibit 25-A10 TT Travel Time Versus Distance Curves for 25-mi/h<br>Initial Speed ..... | 25-141 |
| Exhibit 25-A11 TT Travel Time Versus Distance Curves for 30-mi/h<br>Initial Speed ..... | 25-142 |
| Exhibit 25-A12 TT Travel Time Versus Distance Curves for 35-mi/h<br>Initial Speed ..... | 25-142 |
| Exhibit 25-A13 TT Travel Time Versus Distance Curves for 40-mi/h<br>Initial Speed ..... | 25-143 |
| Exhibit 25-A14 TT Travel Time Versus Distance Curves for 45-mi/h<br>Initial Speed ..... | 25-143 |
| Exhibit 25-A15 TT Travel Time Versus Distance Curves for 50-mi/h<br>Initial Speed ..... | 25-144 |
| Exhibit 25-A16 TT Travel Time Versus Distance Curves for 55-mi/h<br>Initial Speed ..... | 25-144 |
| Exhibit 25-A17 TT Travel Time Versus Distance Curves for 60-mi/h<br>Initial Speed ..... | 25-145 |
| Exhibit 25-A18 TT Travel Time Versus Distance Curves for 65-mi/h<br>Initial Speed ..... | 25-145 |
| Exhibit 25-A19 TT Travel Time Versus Distance Curves for 70-mi/h<br>Initial Speed ..... | 25-146 |
| Exhibit 25-A20 TT Travel Time Versus Distance Curves for 75-mi/h<br>Initial Speed ..... | 25-146 |

---