

CHAPTER 29
URBAN STREET FACILITIES: SUPPLEMENTAL

CONTENTS

1. INTRODUCTION 29-1

2. SCENARIO GENERATION PROCEDURE 29-2

 Weather Event Generation 29-2

 Traffic Demand Variation Generation 29-7

 Traffic Incident Generation..... 29-8

 Scenario Dataset Generation 29-16

3. SUSTAINED SPILLBACK PROCEDURE 29-25

 Overview of the Procedure..... 29-25

 Computational Steps 29-26

 Procedure for Saving Performance Measures..... 29-31

 Computational Engine Documentation 29-33

4. USE OF ALTERNATIVE TOOLS..... 29-36

 Basic Example Problem Configuration 29-36

 Signal Timing Plan Design 29-38

 Demonstration of Alternative Tool Applications..... 29-50

5. EXAMPLE PROBLEMS 29-60

 Example Problem 1: Automobile-Oriented Urban Street 29-60

 Example Problem 2: Pedestrian and Bicycle Improvements 29-68

 Example Problem 3: Pedestrian and Parking Improvements..... 29-73

 Example Problem 4: Existing Urban Street Reliability 29-78

 Example Problem 5: Urban Street Strategy Evaluation..... 29-95

6. REFERENCES..... 29-100

LIST OF EXHIBITS

Exhibit 29-1 Weather Event Procedure 29-3

Exhibit 29-2 Traffic Demand Variation Procedure 29-8

Exhibit 29-3 Traffic Incident Procedure for Intersection Incidents 29-9

Exhibit 29-4 Scenario File Generation Procedure 29-17

Exhibit 29-5 Additional Critical Left-Turn Headway due to Weather 29-24

Exhibit 29-6 Spillback Procedure Flowchart 29-34

Exhibit 29-7 Sustained Spillback Module Routines 29-35

Exhibit 29-8 Base Configuration for the Examples 29-37

Exhibit 29-9 Demand Flow Rates and Phasing Plan for Each Intersection 29-37

Exhibit 29-10 Elements of a Typical Signal Timing Design Tool 29-39

Exhibit 29-11 Cycle Length Optimization Results 29-41

Exhibit 29-12 Timing Plan Developed by Split and Offset Optimization 29-42

Exhibit 29-13 Performance Measures for the Initial Timing Plan 29-42

Exhibit 29-14 Progression Quality Measures for the Initial Design 29-43

Exhibit 29-15 Progression Quality Measures for the Improved
Progression Design 29-43

Exhibit 29-16 Time–Space Diagram for the Initial Design 29-44

Exhibit 29-17 Time–Space Diagram for the Modified Progression Design 29-44

Exhibit 29-18 Offset Changes for the Modified Progression Design 29-44

Exhibit 29-19 Alternative Time–Space Diagram Format 29-45

Exhibit 29-20 Example Illustrating the Use of Flow Profiles 29-46

Exhibit 29-21 Composite Flow Profiles for the First Eastbound Segment 29-47

Exhibit 29-22 Variation of Queue Length Throughout the Signal Cycle for
the First Eastbound Segment 29-47

Exhibit 29-23 Time–Space Diagram with Flows and Queues 29-48

Exhibit 29-24 Optimized Phasing Modifications 29-49

Exhibit 29-25 Time–Space Diagram for the Optimized Phasing Plan 29-49

Exhibit 29-26 Time–Space Diagram Showing Ideal Eastbound
Progression 29-50

Exhibit 29-27 Parameters for the Parking Example 29-51

Exhibit 29-28 Effect of Parking Activity Level on Travel Time and Delay 29-51

Exhibit 29-29 Effect of Parking Activity Level on the Percentage of Stops 29-52

Exhibit 29-30 Roundabout Configuration for Intersection 3 29-53

Exhibit 29-31 Time–Space Diagrams Showing Simultaneous and
Alternating Platoon Arrivals at the Roundabout 29-53

Exhibit 29-32 Performance Comparison for Simultaneous and Alternating Platoon Arrivals at a Roundabout.....	29-54
Exhibit 29-33 Queuing Results for the Theoretical Example	29-56
Exhibit 29-34 Queuing Results for Simultaneous Platoons.....	29-56
Exhibit 29-35 Queuing Results for Alternating Platoons	29-57
Exhibit 29-36 Queuing Results for Isolated TWSC Operation.....	29-58
Exhibit 29-37 Effect of Cross-Street Demand Volume on Queue Backup Beyond 100 ft from the Stop Line	29-59
Exhibit 29-38 Example Problems.....	29-60
Exhibit 29-39 Example Problem 1: Urban Street Schematic.....	29-60
Exhibit 29-40 Example Problem 1: Segment Geometry	29-61
Exhibit 29-41 Example Problem 1: Intersection Turn Movement Counts.....	29-61
Exhibit 29-42 Example Problem 1: Signal Conditions for Intersection 1.....	29-62
Exhibit 29-43 Example Problem 1: Geometric Conditions and Traffic Characteristics for Signalized Intersection 1	29-63
Exhibit 29-44 Example Problem 1: Access Point Data	29-63
Exhibit 29-45 Example Problem 1: Intersection 1 Evaluation	29-64
Exhibit 29-46 Example Problem 1: Intersection 5 Evaluation.....	29-65
Exhibit 29-47 Example Problem 1: Segment 1 Evaluation.....	29-66
Exhibit 29-48 Example Problem 1: Segment 5 Evaluation.....	29-66
Exhibit 29-49 Example Problem 1: Facility Evaluation.....	29-67
Exhibit 29-50 Example Problem 2: Segment Geometry	29-68
Exhibit 29-51 Example Problem 2: Intersection 1 Evaluation	29-69
Exhibit 29-52 Example Problem 2: Intersection 5 Evaluation	29-69
Exhibit 29-53 Example Problem 2: Segment 1 Evaluation.....	29-71
Exhibit 29-54 Example Problem 2: Segment 5 Evaluation.....	29-71
Exhibit 29-55 Example Problem 2: Facility Evaluation.....	29-72
Exhibit 29-56 Example Problem 3: Segment Geometry	29-74
Exhibit 29-57 Example Problem 3: Intersection 1 Evaluation	29-74
Exhibit 29-58 Example Problem 3: Intersection 5 Evaluation	29-75
Exhibit 29-59 Example Problem 3: Segment 1 Evaluation.....	29-76
Exhibit 29-60 Example Problem 3: Segment 5 Evaluation.....	29-76
Exhibit 29-61 Example Problem 3: Facility Evaluation.....	29-78
Exhibit 29-62 Example Problem 4: Urban Street Facility.....	29-79
Exhibit 29-63 Example Problem 4: Input Data Needs and Sources	29-80
Exhibit 29-64 Example Problem 4: Intersection 1 Signal Timing Data	29-80
Exhibit 29-65 Example Problem 4: Sample Weather Data for Lincoln, Nebraska.....	29-83

Exhibit 29-66 Example Problem 4: Sample Generated Weather Events 29-84

Exhibit 29-67 Example Problem 4: Sample Demand Profile Calculations 29-86

Exhibit 29-68 Example Problem 4: Locally Available Crash Frequency
Data 29-87

Exhibit 29-69 Example Problem 4: Computation of Crash Frequency by
Weather Type 29-88

Exhibit 29-70 Example Problem 4: Incident Determination for April 6,
9:00 a.m., for Segment 1-2 29-90

Exhibit 29-71 Example Problem 4: Incident Determination for January 10,
7:00 a.m., for Segment 1-2 29-90

Exhibit 29-72 Example Problem 4: Sample Calculation of Incident
Duration 29-91

Exhibit 29-73 Example Problem 4: Reliability Performance Measure
Results 29-93

Exhibit 29-74 Example Problem 4: Eastbound Travel Time Distribution 29-94

Exhibit 29-75 Example Problem 4: Confidence Interval Calculation for
Eastbound Direction 29-94

Exhibit 29-76 Example Problem 4: Annual VHD by Cause 29-95

Exhibit 29-77 Example Problem 4: Percentage of Annual VHD by Cause 29-95

Exhibit 29-78 Example Problem 5: Results for Strategy 1 29-98

Exhibit 29-79 Example Problem 5: Results for Strategy 2 29-98

Exhibit 29-80 Example Problem 5: Results for Strategy 3 29-99

