

**CHAPTER 34
INTERCHANGE RAMP TERMINALS: SUPPLEMENTAL**

CONTENTS

1. INTRODUCTION.....34-1

2. EXAMPLE PROBLEMS.....34-2

 Introduction.....34-2

 Intersection Traffic Movements.....34-2

 Example Problem 1: Diamond Interchange34-3

 Example Problem 2: Parclo A-2Q Interchange34-9

 Example Problem 3: Diamond Interchange with Queue Spillback34-16

 Example Problem 4: Diamond Interchange with Demand Starvation.....34-23

 Example Problem 5: Diverging Diamond Interchange with Signal Control34-30

 Example Problem 6: Diverging Diamond Interchange with Yield Control34-34

 Example Problem 7: Single-Point Urban Interchange34-37

 Example Problem 8: Diamond Interchange with Adjacent Intersection....34-43

 Example Problem 9: Diamond Interchange with Roundabouts34-51

 Example Problem 10: Operational Analysis for Type Selection34-53

 Example Problem 11: Alternative Analysis Tool.....34-58

 Example Problem 12: Four-Legged Restricted Crossing U-Turn Intersection with Merges34-64

 Example Problem 13: Three-Legged Restricted Crossing U-Turn Intersection with Stop Signs.....34-67

 Example Problem 14: Four-Legged Restricted Crossing U-Turn Intersection with Signals34-71

 Example Problem 15: Four-Legged Median U-Turn Intersection with Stop Signs34-75

 Example Problem 16: Partial Displaced Left-Turn Intersection.....34-79

 Example Problem 17: Full Displaced Left-Turn Intersection.....34-84

3. OPERATIONAL ANALYSIS FOR INTERCHANGE TYPE SELECTION.....34-91

 Introduction.....34-91

 Inputs and Applications34-92

 Saturation Flow Rates34-92

 Computational Steps.....34-93

4. O-D AND TURNING MOVEMENTS34-100
 O-D and Turning Movements for Interchanges with Roundabouts34-100
 O-D and Turning Movements for Conventional Interchanges34-102

5. REFERENCES34-108



LIST OF EXHIBITS

Exhibit 34-1 Example Problem Descriptions.....34-2

Exhibit 34-2 Intersection Traffic Movements and Numbering Scheme34-2

Exhibit 34-3 Example Problem 1: Interchange Volumes and
Channelization34-3

Exhibit 34-4 Example Problem 1: Signalization Information.....34-3

Exhibit 34-5 Example Problem 1: Adjusted O-D Table.....34-4

Exhibit 34-6 Example Problem 1: Lane Utilization Adjustment
Calculations34-4

Exhibit 34-7 Example Problem 1: Saturation Flow Rate Calculation for
Eastbound and Westbound Approaches.....34-5

Exhibit 34-8 Example Problem 1: Saturation Flow Rate Calculation for
Northbound and Southbound Approaches34-5

Exhibit 34-9 Example Problem 1: Common Green Calculations34-6

Exhibit 34-10 Example Problem 1: Lost Time due to Downstream Queues34-6

Exhibit 34-11 Example Problem 1: Lost Time due to Demand Starvation34-7

Exhibit 34-12 Example Problem 1: Queue Storage Ratio for Eastbound
and Westbound Movements34-7

Exhibit 34-13 Example Problem 1: Queue Storage Ratio for Northbound
and Southbound Movements.....34-8

Exhibit 34-14 Example Problem 1: Control Delay for Eastbound and
Westbound Movements.....34-8

Exhibit 34-15 Example Problem 1: Control Delay for Northbound and
Southbound Movements34-9

Exhibit 34-16 Example Problem 1: O-D Movement LOS.....34-9

Exhibit 34-17 Example Problem 2: Intersection Plan View34-10

Exhibit 34-18 Example Problem 2: Signalization Information.....34-10

Exhibit 34-19 Example Problem 2: Adjusted O-D Table.....34-11

Exhibit 34-20 Example Problem 2: Lane Utilization Adjustment
Calculations34-11

Exhibit 34-21 Example Problem 2: Saturation Flow Rate Calculation for
Northbound and Southbound Approaches34-11

Exhibit 34-22 Example Problem 2: Saturation Flow Rate Calculation for
Eastbound and Westbound Approaches.....34-12

Exhibit 34-23 Example Problem 2: Common Green Calculations34-12

Exhibit 34-24 Example Problem 2: Lost Time due to Downstream Queues34-13

Exhibit 34-25 Example Problem 2: Queue Storage Ratio for Eastbound
and Westbound Movements34-13

Exhibit 34-26 Example Problem 2: Queue Storage Ratio for Northbound and Southbound Movements.....34-14

Exhibit 34-27 Example Problem 2: Control Delay for Eastbound and Westbound Movements.....34-14

Exhibit 34-28 Example Problem 2: Control Delay for Northbound and Southbound Movements.....34-15

Exhibit 34-29 Example Problem 2: O-D Movement LOS.....34-15

Exhibit 34-30 Example Problem 3: Intersection Plan View34-16

Exhibit 34-31 Example Problem 3: Signalization Information34-16

Exhibit 34-32 Example Problem 3: Adjusted O-D Table.....34-17

Exhibit 34-33 Example Problem 3: Lane Utilization Adjustment Calculations34-17

Exhibit 34-34 Example Problem 3: Saturation Flow Rate Calculation for Eastbound and Westbound Approaches.....34-18

Exhibit 34-35 Example Problem 3: Saturation Flow Rate Calculation for Northbound and Southbound Approaches34-18

Exhibit 34-36 Example Problem 3: Common Green Calculations34-19

Exhibit 34-37 Example Problem 3: Lost Time due to Downstream Queues34-19

Exhibit 34-38 Example Problem 3: Lost Time due to Demand Starvation Calculations34-20

Exhibit 34-39 Example Problem 3: Queue Storage Ratio for Eastbound and Westbound Movements34-20

Exhibit 34-40 Example Problem 3: Queue Storage Ratio for Northbound and Southbound Movements.....34-21

Exhibit 34-41 Example Problem 3: Control Delay for Eastbound and Westbound Movements.....34-21

Exhibit 34-42 Example Problem 3: Control Delay for Northbound and Southbound Movements34-22

Exhibit 34-43 Example Problem 3: O-D Movement LOS.....34-22

Exhibit 34-44 Example Problem 4: Intersection Plan View34-23

Exhibit 34-45 Example Problem 4: Signalization Information34-23

Exhibit 34-46 Example Problem 4: Adjusted O-D Table.....34-24

Exhibit 34-47 Example Problem 4: Lane Utilization Adjustment Calculations34-24

Exhibit 34-48 Example Problem 4: Saturation Flow Rate Calculation for Eastbound and Westbound Approaches.....34-25

Exhibit 34-49 Example Problem 4: Saturation Flow Rate Calculation for Northbound and Southbound Approaches34-25

Exhibit 34-50 Example Problem 4: Common Green Calculations34-26

Exhibit 34-51 Example Problem 4: Lost Time due to Downstream Queues34-26

Exhibit 34-52 Example Problem 4: Lost Time due to Demand Starvation Calculations	34-27
Exhibit 34-53 Example Problem 4: Queue Storage Ratio for Eastbound and Westbound Movements	34-27
Exhibit 34-54 Example Problem 4: Queue Storage Ratio for Northbound and Southbound Movements.....	34-28
Exhibit 34-55 Example Problem 4: Control Delay for Eastbound and Westbound Movements.....	34-28
Exhibit 34-56 Example Problem 4: Control Delay for Northbound and Southbound Movements	34-29
Exhibit 34-57 Example Problem 4: O-D Movement LOS.....	34-29
Exhibit 34-58 Example Problem 5: DDI Geometry, Lane, and Volume Inputs	34-30
Exhibit 34-59 Example Problem 5: Signal Timing and Volume Inputs	34-31
Exhibit 34-60 Example Problem 5: Adjusted O-D Table.....	34-31
Exhibit 34-61 Example Problem 5: Lane Utilization Adjustment Calculations	34-32
Exhibit 34-62 Example Problem 5: Saturation Flow Rate Calculation for All Approaches	34-32
Exhibit 34-63 Example Problem 5: Lost Time and Effective Green Calculations	34-33
Exhibit 34-64 Example Problem 5: Performance Results.....	34-33
Exhibit 34-65 Example Problem 5: ETT and LOS Results.....	34-34
Exhibit 34-66 Example Problem 6: Geometry, Lane, and Volume Inputs.....	34-34
Exhibit 34-67 Example Problem 6: Capacity of Blocked Regime	34-35
Exhibit 34-68 Example Problem 6: Capacity of Gap Acceptance Regime	34-36
Exhibit 34-69 Example Problem 6: Capacity of No-Opposing-Flow Regime	34-36
Exhibit 34-70 Example Problem 6: Performance Results.....	34-36
Exhibit 34-71 Example Problem 6: ETT and LOS Results.....	34-37
Exhibit 34-72 Example Problem 7: Intersection Plan View	34-37
Exhibit 34-73 Example Problem 7: Signalization Information.....	34-37
Exhibit 34-74 Example Problem 7: Adjusted O-D Table.....	34-38
Exhibit 34-75 Example Problem 7: Saturation Flow Rate Calculation for Eastbound and Westbound Approaches.....	34-39
Exhibit 34-76 Example Problem 7: Saturation Flow Rate Calculation for Northbound and Southbound Approaches	34-39
Exhibit 34-77 Example Problem 7: Uniform Delay Calculations for Left Turns Featuring Both Permissive and Protected Phasing.....	34-40

Exhibit 34-78 Example Problem 7: Queue Storage Ratio for Eastbound and Westbound Movements34-41

Exhibit 34-79 Example Problem 7: Queue Storage Ratio for Northbound and Southbound Movements.....34-41

Exhibit 34-80 Example Problem 7: Control Delay for Eastbound and Westbound Movements.....34-42

Exhibit 34-81 Example Problem 7: Control Delay for Northbound and Southbound Movements34-42

Exhibit 34-82 Example Problem 7: O-D Movement LOS.....34-42

Exhibit 34-83 Example Problem 8: Intersection Plan View34-43

Exhibit 34-84 Example Problem 8: Signalization Information.....34-43

Exhibit 34-85 Example Problem 8: Lane Utilization Adjustment Calculations34-44

Exhibit 34-86 Example Problem 8: Saturation Flow Rate Calculation for Interchange Eastbound and Westbound Approaches34-44

Exhibit 34-87 Example Problem 8: Saturation Flow Rate Calculation for Interchange Northbound and Southbound Approaches34-45

Exhibit 34-88 Example Problem 8: Saturation Flow Rate Calculation for Adjacent Intersection.....34-45

Exhibit 34-89 Example Problem 8: Common Green Calculations34-46

Exhibit 34-90 Example Problem 8: Lost Time due to Downstream Queues34-47

Exhibit 34-91 Example Problem 8: Queue Storage Ratio for Interchange Eastbound and Westbound Movements34-48

Exhibit 34-92 Example Problem 8: Queue Storage Ratio for Interchange Northbound and Southbound Movements.....34-48

Exhibit 34-93 Example Problem 8: Queue Storage Ratio for Adjacent Intersection Movements.....34-49

Exhibit 34-94 Example Problem 8: Control Delay for Interchange Eastbound and Westbound Movements34-49

Exhibit 34-95 Example Problem 8: Control Delay for Interchange Northbound and Southbound Movements.....34-50

Exhibit 34-96 Example Problem 8: Control Delay for Adjacent Intersection Movements.....34-50

Exhibit 34-97 Example Problem 8: Interchange O-D Movement LOS34-51

Exhibit 34-98 Example Problem 8: Adjacent Intersection Movement LOS34-51

Exhibit 34-99 Example Problem 9: Intersection Plan View34-51

Exhibit 34-100 Example Problem 9: Adjusted O-D Table.....34-52

Exhibit 34-101 Example Problem 9: Approach Capacity and Delay Calculations34-52

Exhibit 34-102 Example Problem 9: Control Delay and LOS for Each O-D Movement.....	34-53
Exhibit 34-103 Example Problem 10: O-D Demand Information for the Interchange	34-54
Exhibit 34-104 Example Problem 10: NEMA Flows (veh/h) for the Interchange	34-54
Exhibit 34-105 Example Problem 10: NEMA Flows for the Interchange Without Channelized Right Turns	34-55
Exhibit 34-106 Example Problem 10: SPUI Critical Flow Ratio Calculations	34-55
Exhibit 34-107 Example Problem 10: TUDI Critical Flow Ratio Calculations	34-55
Exhibit 34-108 Example Problem 10: CUDI Critical Flow Ratio Calculations	34-55
Exhibit 34-109 Example Problem 10: CDI Critical Flow Ratio Calculations	34-56
Exhibit 34-110 Example Problem 10: Parclo A-4Q Critical Flow Ratio Calculations	34-56
Exhibit 34-111 Example Problem 10: Parclo A-2Q Critical Flow Ratio Calculations	34-57
Exhibit 34-112 Example Problem 10: Parclo B-4Q Critical Flow Ratio Calculations	34-57
Exhibit 34-113 Example Problem 10: Parclo B-2Q Critical Flow Ratio Calculations	34-57
Exhibit 34-114 Example Problem 10: Interchange Delay for the Eight Interchange Types	34-58
Exhibit 34-115 Example Problem 11: Interchange Configuration and Demand Volumes	34-59
Exhibit 34-116 Example Problem 11: Signal Timing Plan	34-59
Exhibit 34-117 Example Problem 11: Physical Configurations Examined	34-60
Exhibit 34-118 Example Problem 11: Congested Approaches to Diamond Interchange	34-60
Exhibit 34-119 Example Problem 11: Discharge from the Diamond Interchange Under the Full Range of Arterial Demand	34-61
Exhibit 34-120 Example Problem 11: Discharge from the Southbound Exit Ramp Under the Full Range of Ramp Demand	34-62
Exhibit 34-121 Example Problem 11: Congested Approaches to the TWSC Intersection	34-62
Exhibit 34-122 Example Problem 11: Effect of Arterial Demand on Minor-Street Discharge at the TWSC Intersection	34-63
Exhibit 34-123 Example Problem 12: Turning Movement Demands.....	34-64

Exhibit 34-124 Example Problem 12: Demands Converted to the RCUT
 Geometry34-64

Exhibit 34-125 Example Problem 12: Flow Rates in the RCUT Geometry34-65

Exhibit 34-126 Example Problem 13: Turning Movement Demands34-67

Exhibit 34-127 Example Problem 13: Demands Converted to the RCUT
 Geometry34-68

Exhibit 34-128 Example Problem 13: Flow Rates in the RCUT Geometry34-68

Exhibit 34-129 Example Problem 14: Turning Movement Demands34-71

Exhibit 34-130 Example Problem 14: Demands Converted to the RCUT
 Geometry34-72

Exhibit 34-131 Example Problem 14: Flow Rates in the RCUT Geometry34-72

Exhibit 34-132 Example Problem 14: Control Delay for Each Junction34-73

Exhibit 34-133 Example Problem 14: ETT and LOS Results.....34-74

Exhibit 34-134 Example Problem 15: Turning Movement Demands and
 Average Interval Durations.....34-75

Exhibit 34-135 Example Problem 15: Demands Converted to the MUT
 Geometry34-76

Exhibit 34-136 Example Problem 15: Flow Rates in the MUT Geometry34-76

Exhibit 34-137 Example Problem 15: Control Delay for Each Junction34-77

Exhibit 34-138 Example Problem 15: ETT and LOS Results.....34-78

Exhibit 34-139 Example Problem 16: Intersection Volumes and
 Channelization34-79

Exhibit 34-140 Example Problem 16: Intersection Signalization34-79

Exhibit 34-141 Example Problem 16: Flow Rates at the Supplemental and
 Main Intersections34-80

Exhibit 34-142 Example Problem 16: Lane Geometries at the
 Supplemental and Main Intersections34-80

Exhibit 34-143 Example Problem 16: Signalization at the DLT
 Intersections.....34-81

Exhibit 34-144 Example Problem 16: Maximum Phase Times at the Main
 Intersection34-82

Exhibit 34-145 Example Problem 16: Weighted Average Control Delays.....34-83

Exhibit 34-146 Example Problem 17: Flow Rates at the Supplemental and
 Main Intersections34-85

Exhibit 34-147 Example Problem 17: Lane Geometries at the
 Supplemental and Main Intersections34-85

Exhibit 34-148 Example Problem 17: East–West Signalization at the DLT
 Intersections.....34-86

Exhibit 34-149 Example Problem 17: North–South Signalization at the
 DLT Intersections.....34-88

Exhibit 34-150 Example Problem 17: Weighted Average Control Delays34-89

Exhibit 34-151 Default Values of Saturation Flow Rate for Use with the
Operational Analysis for Interchange Type Selection.....34-93

Exhibit 34-152 Mapping of Interchange Origins and Destinations into
Phase Movements for Operational Interchange Type Selection
Analysis.....34-94

Exhibit 34-153 Phase Movements in a SPUI.....34-94

Exhibit 34-154 Phase Movements in a Tight Urban or Compressed Urban
Diamond Interchange34-95

Exhibit 34-155 Default Values for y_i 34-95

Exhibit 34-156 Phase Movements in a CDI34-96

Exhibit 34-157 Phase Movements in Parclo A-2Q and A-4Q Interchanges34-97

Exhibit 34-158 Phase Movements in Parclo B-2Q and B-4Q Interchanges.....34-97

Exhibit 34-159 Estimation of Interchange Delay d_i for Eight Basic
Interchange Types34-99

Exhibit 34-160 Illustration and Notation of O-D Demands at an
Interchange with Roundabouts34-100

Exhibit 34-161 Notation of O-D Demands at Interchanges with
Roundabouts34-101

Exhibit 34-162 O-D Flows for Each Interchange Configuration.....34-102

Exhibit 34-163 Worksheet for Obtaining O-D Movements from Turning
Movements for Parclo A-2Q Interchanges.....34-103

Exhibit 34-164 Worksheet for Obtaining O-D Movements from Turning
Movements for Parclo A-4Q Interchanges.....34-103

Exhibit 34-165 Worksheet for Obtaining O-D Movements from Turning
Movements for Parclo AB-2Q Interchanges.....34-103

Exhibit 34-166 Worksheet for Obtaining O-D Movements from Turning
Movements for Parclo AB-4Q Interchanges.....34-104

Exhibit 34-167 Worksheet for Obtaining O-D Movements from Turning
Movements for Parclo B-2Q Interchanges.....34-104

Exhibit 34-168 Worksheet for Obtaining O-D Movements from Turning
Movements for Parclo B-4Q Interchanges.....34-104

Exhibit 34-169 Worksheet for Obtaining O-D Movements from Turning
Movements for Diamond Interchanges.....34-105

Exhibit 34-170 Worksheet for Obtaining O-D Movements from Turning
Movements for SPUIs34-105

Exhibit 34-171 Worksheet for Obtaining Turning Movements from O-D
Movements for Parclo A-2Q and Parclo A-4Q Interchanges.....34-105

Exhibit 34-172 Worksheet for Obtaining Turning Movements from O-D
Movements for Parclo AB-2Q Interchanges.....34-106

Exhibit 34-173 Worksheet for Obtaining Turning Movements from O-D
Movements for Parclo AB-4Q Interchanges.....34-106

Exhibit 34-174 Worksheet for Obtaining Turning Movements from O-D
Movements for Parclo B-2Q Interchanges.....34-106

Exhibit 34-175 Worksheet for Obtaining Turning Movements from O-D
Movements for Parclo B-4Q Interchanges.....34-107

Exhibit 34-176 Worksheet for Obtaining Turning Movements from O-D
Movements for Diamond Interchanges34-107

Exhibit 34-177 Worksheet for Obtaining Turning Movements from O-D
Movements for SPUIs.....34-107

